




# HP Premium Matte Polypropylene, 2 Pack



## The HP DesignJet printing system—the complete solution

HP DesignJet printers, Original HP inks and printheads, and Original HP printing materials are designed to work together as a system to provide reliable, consistent results with every print.



## Produce brilliant, high-impact signs and banners

### Deliver high-quality, durable prints

Handle these sturdy, tear-resistant prints with confidence. Providing the high-quality look and feel of photo material, you get durable performance without trading off brilliant color and edge definition.

### Produce high-impact, photo-realistic signs

Produce prints with brilliant color, photo-realistic images, and the look of traditional photos—this sturdy film is ideal for a wide range of sign and event displays including photo enlargements and offers over 50 years indoor display permanence.<sup>1</sup>

### Do more, and print with the environment in mind

Offer a wide range of applications from presentations, banners, and displays to photo enlargements—and help meet the environmental objectives of your company and your clients—with this versatile, recyclable<sup>2</sup> HP printing material.

<sup>1</sup> With Original HP 771 Vivid Photo Inks or Original HP 91 Photo Inks. Display permanence rating for interior displays/away from direct sunlight, under glass by HP Image Permanence Lab and/or by Wilhelm Imaging Research, Inc. on a range of HP media. For more information, see [HPLFMedia.com/printpermanence](http://HPLFMedia.com/printpermanence).

<sup>2</sup> HP Large Format Media take-back program availability varies. Recycling programs may not exist in your area. See [HPLFMedia.com/ecosolutions](http://HPLFMedia.com/ecosolutions) for details.

<sup>3</sup> Greater than 96% per TAPPI T-425 Test Method, 98% per ISO 2471 Test Method.

<sup>4</sup> Moderately water resistant with Original HP 771 Vivid Photo Inks or Original HP 91 Photo Inks. Water resistance testing by HP Image Permanence Lab on a range of HP media and follows ISO 18935 method. For more information, see [HPLFMedia.com/printpermanence](http://HPLFMedia.com/printpermanence).

Target customers	Applications	Benefits
Print service providers	Trade show and event displays	Vibrant color, high-impact image quality
Sign shops	Posters and presentations	Excellent opacity <sup>3</sup> and optical density
Graphic designers	POP and retail displays	Sturdy, tear-resistant prints
	Photo enlargements	Moderately water-resistant prints <sup>4</sup>
	Banners	Fast dry time
		50+ years indoor, unlaminated display permanence <sup>1</sup>
		Versatile compatibility with Original HP dye- and pigment-based inks
		Recyclable through the HP Large Format Media take-back program <sup>2</sup>

## Technical specifications



### HP Premium Matte Polypropylene, 2 Pack

For the latest ICC/media profiles and a variety of resources to help you get the most out of your printer and HP large format printing materials, please visit [HPLFMedia.com](http://HPLFMedia.com).

<b>Weight</b>	140 g/m <sup>2</sup> per ISO 536 Test Method																				
<b>Thickness</b>	231 microns/9.1 mil per ISO 534 Test Method																				
<b>Opacity</b>	Greater than 96% per TAPPI T-425 Test Method, 98% per ISO 2471 Test Method																				
<b>Brightness</b>	Greater than 99% per TAPPI T-452 Test Method																				
<b>Whiteness</b>	140 per ASTM E-313 Test Method																				
<b>Finish</b>	Matte																				
<b>Operating temperature</b>	15 to 35° C / 59 to 95° F																				
<b>Operating humidity</b>	20 to 80% RH																				
<b>Display permanence (Indoor home or office)</b>	50+ years indoors, unlaminated with Original HP 771 Vivid Photo Inks or Original HP 91 Photo Inks <sup>5</sup>																				
<b>Water resistance</b>	Moderately water resistant with Original HP 771 Vivid Photo Inks or Original HP 91 Photo Inks <sup>6</sup>																				
<b>Dry time</b>	Less than 2 minutes (at 23° C, 50% RH)																				
<b>Lamination</b>	Yes																				
<b>Shelf life</b>	2 years, unopened in original packaging																				
<b>Storage temperature</b>	15 to 35° C / 59 to 95° F																				
<b>Storage humidity</b>	15 to 30% RH																				
<b>Recyclability</b>	Recyclable through the HP Large Format Media take-back program <sup>7</sup>																				
<b>Country of origin</b>	Product of China																				
<b>Ordering information</b>	<table border="1"> <thead> <tr> <th>Product numbers</th> <th>Quantity</th> <th>Roll sizes</th> <th>UPC codes</th> <th>Region</th> </tr> </thead> <tbody> <tr> <td>C2T53A</td> <td>2 Pack</td> <td>914 mm x 22,9 m (36 in x 75 ft)</td> <td>848412013405</td> <td>Americas, Europe</td> </tr> <tr> <td>C2T54A</td> <td>2 Pack</td> <td>1067 mm x 22,9 m (42 in x 75 ft)</td> <td>848412013412</td> <td>Americas, Europe</td> </tr> <tr> <td>C5G02A</td> <td>2 Pack</td> <td>1524 mm x 22,9 m (60 in x 75 ft)</td> <td>848412013429</td> <td>Americas, Europe</td> </tr> </tbody> </table>	Product numbers	Quantity	Roll sizes	UPC codes	Region	C2T53A	2 Pack	914 mm x 22,9 m (36 in x 75 ft)	848412013405	Americas, Europe	C2T54A	2 Pack	1067 mm x 22,9 m (42 in x 75 ft)	848412013412	Americas, Europe	C5G02A	2 Pack	1524 mm x 22,9 m (60 in x 75 ft)	848412013429	Americas, Europe
Product numbers	Quantity	Roll sizes	UPC codes	Region																	
C2T53A	2 Pack	914 mm x 22,9 m (36 in x 75 ft)	848412013405	Americas, Europe																	
C2T54A	2 Pack	1067 mm x 22,9 m (42 in x 75 ft)	848412013412	Americas, Europe																	
C5G02A	2 Pack	1524 mm x 22,9 m (60 in x 75 ft)	848412013429	Americas, Europe																	
<b>Warranty</b>	HP large format printing materials are free from defects in materials and workmanship. For warranty statement please see <a href="http://HPLFMedia.com/hp/MediaWarranties">HPLFMedia.com/hp/MediaWarranties</a> .																				

<sup>5</sup> Display permanence rating for interior displays/away from direct sunlight, under glass by HP Image Permanence Lab and/or by Wilhelm Imaging Research, Inc. on a range of HP media. For more information, see [HPLFMedia.com/printpermanence](http://HPLFMedia.com/printpermanence).

<sup>6</sup> Water resistance testing by HP Image Permanence Lab on a range of HP media and follows ISO 18935 method. For more information, see [HPLFMedia.com/printpermanence](http://HPLFMedia.com/printpermanence).

<sup>7</sup> HP Large Format Media take-back program availability varies. Recycling programs may not exist in your area. See [HPLFMedia.com/ecosolutions](http://HPLFMedia.com/ecosolutions) for details.



For detailed information on the HP large format printing materials portfolio and to order, see [HPLFMedia.com](http://HPLFMedia.com)

© 2016 HP Development Company, L.P. © 2016 Brand Management Group. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP and BMG shall not be liable for technical or editorial errors or omissions contained herein.

HP is a registered trademark of HP Development Company, L.P. and is used by Brand Management Group on license from HP Development Company, L.P.

