



Trade name: CS Select Semi-Gloss

Version: 1 /

Date revised: 21.01.2020

Substance number: 3602XX212

Replaces Version: - / WORLD

Print date: 08.04.20

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

CS Select Semi-Gloss

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/preparation

Liquid laminate

1.3. Details of the supplier of the safety data sheet

Address

Marabu North America

2460A Remount Road

29406 North Charleston, SC

Telephone no. 843-886-0094

sds-mna@marabu.com

Information provided Department product safety

by / telephone

E-mail address of PRSI@marabu.com

person responsible
for this SDS

1.4. Emergency telephone number

CHEMTREC 703-527-3887 CCN5004

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (Regulation (EC) No. 1272/2008)

Classification (Regulation (EC) No. 1272/2008)

Skin Sens. 1A H317

Aquatic Chronic 3 H412

2.2. Label elements

Labelling according to regulation (EC) No 1272/2008

Hazard pictograms



Signal word

Warning

Hazard statements

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P261 Avoid breathing dust / fume / gas / mist / vapours / spray.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves / protective clothing / eye protection / face protection.



Trade name: CS Select Semi-Gloss

Version: 1 /

Date revised: 21.01.2020

Substance number: 3602XX212

Replaces Version: - / WORLD

Print date: 08.04.20

P302+P352
P333+P313IF ON SKIN: Wash with plenty of soap and water.
If skin irritation or rash occurs: Get medical advice / attention.**Hazardous component(s) to be indicated on label (Regulation (EC) No. 1272/2008)**

contains

reaction mass of
alpha-3-(3-(2h-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl-omega-hydroxypoly(oxyethylene) and alpha-3-(3-(2h-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl-omega-3-(3-(2h-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl-oxypoly(oxyethylene); Reaction mass of bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate; A mixture of: 5-Chloro-2-methyl-2h-isothiazol-3-one [EC-no. 247-500-7] and 2-Methyl-2H-isothiazol-3-one [EC-no. 220-239-6] (3:1) / C(M)IT/MIT (3:1); 1,2-Benzisothiazol-3(2h)-one**Supplemental information****Labelling according to regulation (EU) No 528/2012**

Contains a biocidal product: A mixture of: 5-Chloro-2-methyl-2h-isothiazol-3-one [EC-no. 247-500-7] and 2-Methyl-2H-isothiazol-3-one [EC-no. 220-239-6] (3:1) / C(M)IT/MIT (3:1)

2.3. Other hazards

No special hazards have to be mentioned.

SECTION 3: Composition/information on ingredients**3.2. Mixtures****Chemical characterization**

Water containing liquid laminate based on polyurethane

Hazardous ingredients

reaction mass of

alpha-3-(3-(2h-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl-omega-hydroxypoly(oxyethylene) and alpha-3-(3-(2h-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl-omega-3-(3-(2h-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl-oxypoly(oxyethylene)

EINECS no. 400-830-7
Registration no. 01-0000015075-76
Concentration ≥ 1 < 2,5 %

Classification (Regulation (EC) No. 1272/2008)

Skin Sens. 1 H317
Aquatic Chronic 2 H411**Reaction mass of bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate**Registration no. 01-2119491304-40
Concentration $\geq 0,25$ < 1 %

Classification (Regulation (EC) No. 1272/2008)

Skin Sens. 1A H317
Aquatic Acute 1 H400
Aquatic Chronic 1 H410**Triethylamine**CAS No. 121-44-8
EINECS no. 204-469-4
Concentration $\geq 0,1$ < 1 %



Trade name: CS Select Semi-Gloss

Version: 1 /

Date revised: 21.01.2020

Substance number: 3602XX212

Replaces Version: - / WORLD

Print date: 08.04.20

Classification (Regulation (EC) No. 1272/2008)

| | |
|---------------|------|
| Skin Corr. 1A | H314 |
| Flam. Liq. 2 | H225 |
| Acute Tox. 3 | H331 |
| Acute Tox. 3 | H311 |
| Acute Tox. 4 | H302 |

Concentration limits (Regulation (EC) No. 1272/2008)

STOT SE 3 H335 >= 1

1,2-Benzisothiazol-3(2h)-one

CAS No. 2634-33-5

EINECS no. 220-120-9

Concentration < 0,05 %

Classification (Regulation (EC) No. 1272/2008)

| | |
|-------------------|------|
| Aquatic Acute 1 | H400 |
| Skin Sens. 1 | H317 |
| Acute Tox. 4 | H302 |
| Skin Irrit. 2 | H315 |
| Eye Dam. 1 | H318 |
| Acute Tox. 2 | H330 |
| Aquatic Chronic 2 | H411 |

Concentration limits (Regulation (EC) No. 1272/2008)

Skin Sens. 1 H317 >= 0,05

A mixture of: 5-Chloro-2-methyl-2h-isothiazol-3-one [EC-no. 247-500-7] and 2-Methyl-2H-isothiazol-3-one [EC-no. 220-239-6] (3:1) / C(M)IT/MIT (3:1)

CAS No. 55965-84-9

Concentration < 0,001 %

Classification (Regulation (EC) No. 1272/2008)

| | |
|-------------------|------|
| Acute Tox. 2 | H330 |
| Aquatic Chronic 1 | H410 |
| Aquatic Acute 1 | H400 |
| Skin Sens. 1A | H317 |
| Skin Corr. 1C | H314 |
| Acute Tox. 2 | H310 |
| Acute Tox. 3 | H301 |

Concentration limits (Regulation (EC) No. 1272/2008)

| | | |
|-------------------|------|---------------|
| Skin Corr. 1C | H314 | >= 0,6 |
| Eye Irrit. 2 | H319 | <= 0,06 < 0,6 |
| Skin Irrit. 2 | H315 | <= 0,06 < 0,6 |
| Skin Sens. 1 | H317 | >= 0,0015 |
| Aquatic Acute 1 | H410 | M = 100 |
| Aquatic Chronic 1 | H410 | M = 100 |

1

SECTION 4: First aid measures**4.1. Description of first aid measures****General information**

In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person. If unconscious place in recovery position and seek medical advice.

After inhalation



Trade name: CS Select Semi-Gloss

Version: 1 /

Date revised: 21.01.2020

Substance number: 3602XX212

Replaces Version: - / WORLD

Print date: 08.04.20

Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, administer artificial respiration.

After skin contact

Remove contaminated clothing. Wash skin thoroughly with soap and water or use recognised skin cleanser. Do NOT use solvents or thinners.

After eye contact

Remove contact lenses, irrigate copiously with clean, fresh water, holding the eyelids apart for at least 10 minutes and seek immediate medical advice.

After ingestion

If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Until now no symptoms known so far.

4.3. Indication of any immediate medical attention and special treatment needed

Hints for the physician / treatment

Treat symptomatically

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Recommended: alcohol resistant foam, CO₂, powders, water spray/mist, Not be used for safety reasons: water jet

5.2. Special hazards arising from the substance or mixture

In the event of fire the following can be released: Carbon dioxide (CO₂); dense black smoke; Carbon monoxide (CO)

5.3. Advice for firefighters

Special protective equipment for fire-fighting

Cool closed containers exposed to fire with water. Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid breathing vapours. Refer to protective measures listed in Sections 7 and 8.

6.2. Environmental precautions

Do not allow to enter drains or waterways. If the product contaminates lakes, rivers or sewage, inform appropriate authorities in accordance with local regulations.

6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13). Clean preferably with a detergent - avoid use of solvents.

6.4. Reference to other sections

Information regarding Safe handling, see Section 7. Information regarding personal protective measures, see Section 8. Information regarding waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling



Trade name: CS Select Semi-Gloss

Version: 1 /

Date revised: 21.01.2020

Substance number: 3602XX212

Replaces Version: - / WORLD

Print date: 08.04.20

Advice on safe handling

Avoid skin and eye contact. Avoid inhalation of vapour and spray mist. Smoking, eating and drinking shall be prohibited in application area. For personal protection see Section 8. Never use pressure to empty: container is not a pressure vessel. Always keep in containers of same material as the original one. Comply with the health and safety at work laws. Do not allow to enter drains or water courses.

Classification of fires / temperature class / Ignition group / Dust explosion class

Temperature class T3

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store in accordance with national regulation

Hints on storage assembly

Store away from oxidising agents, from strongly alkaline and strongly acid materials.

Further information on storage conditions

Store between 15 and 30 °C in a dry, well ventilated place. Keep container tightly closed. No smoking. Prevent unauthorised access. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

7.3. Specific end use(s)

Liquid laminate

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Derived No/Minimal Effect Levels (DNEL/DMEL)

reaction mass of

alpha-3-(3-(2h-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl-omega-hydroxypoly(oxyethylene) and alpha-3-(3-(2h-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl-omega-3-(3-(2h-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyloxypoly(oxyethylene)

| | | |
|----------------------|--------------------------------|-------------------|
| Type of value | Derived No Effect Level (DNEL) | |
| Reference group | Worker | |
| Duration of exposure | Long term | |
| Route of exposure | inhalative | |
| Mode of action | Systemic effects | |
| Concentration | 0,35 | mg/m ³ |

| | | |
|----------------------|--------------------------------|-------|
| Type of value | Derived No Effect Level (DNEL) | |
| Reference group | Worker | |
| Duration of exposure | Long term | |
| Route of exposure | dermal | |
| Mode of action | Systemic effects | |
| Concentration | 0,5 | mg/kg |

| | | |
|----------------------|--------------------------------|-------------------|
| Type of value | Derived No Effect Level (DNEL) | |
| Reference group | Consumer | |
| Duration of exposure | Long term | |
| Route of exposure | inhalative | |
| Mode of action | Systemic effects | |
| Concentration | 0,085 | mg/m ³ |

| | | |
|----------------------|--------------------------------|--|
| Type of value | Derived No Effect Level (DNEL) | |
| Reference group | Consumer | |
| Duration of exposure | Long term | |
| Route of exposure | dermal | |



Trade name: CS Select Semi-Gloss

Version: 1 /

Date revised: 21.01.2020

Substance number: 3602XX212

Replaces Version: - / WORLD

Print date: 08.04.20

| | | |
|----------------------|--------------------------------|-------|
| Mode of action | Systemic effects | |
| Concentration | 0,25 | mg/kg |
| Type of value | Derived No Effect Level (DNEL) | |
| Reference group | Consumer | |
| Duration of exposure | Long term | |
| Route of exposure | oral | |
| Mode of action | Systemic effects | |
| Concentration | 0,025 | mg/kg |

Reaction mass of bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate

| | | |
|----------------------|--------------------------------|-------------------|
| Type of value | Derived No Effect Level (DNEL) | |
| Reference group | Worker | |
| Duration of exposure | Long term | |
| Route of exposure | inhalative | |
| Mode of action | Systemic effects | |
| Concentration | 3,53 | mg/m ³ |

| | | |
|----------------------|--------------------------------|-------|
| Type of value | Derived No Effect Level (DNEL) | |
| Reference group | Worker | |
| Duration of exposure | Long term | |
| Route of exposure | dermal | |
| Mode of action | Systemic effects | |
| Concentration | 2,0 | mg/kg |

| | | |
|----------------------|--------------------------------|-------|
| Type of value | Derived No Effect Level (DNEL) | |
| Reference group | Consumer | |
| Duration of exposure | Long term | |
| Route of exposure | dermal | |
| Mode of action | Systemic effects | |
| Concentration | 1,00 | mg/kg |

| | | |
|----------------------|--------------------------------|-------------------|
| Type of value | Derived No Effect Level (DNEL) | |
| Reference group | Consumer | |
| Duration of exposure | Long term | |
| Route of exposure | inhalative | |
| Mode of action | Systemic effects | |
| Concentration | 0,87 | mg/m ³ |

| | | |
|----------------------|--------------------------------|-------|
| Type of value | Derived No Effect Level (DNEL) | |
| Reference group | Consumer | |
| Duration of exposure | Long term | |
| Route of exposure | oral | |
| Mode of action | Systemic effects | |
| Concentration | 0,50 | mg/kg |

Triethylamine

| | | |
|----------------------|--------------------------------|-------------------|
| Type of value | Derived No Effect Level (DNEL) | |
| Reference group | Worker | |
| Duration of exposure | Short term | |
| Route of exposure | inhalative | |
| Mode of action | Systemic effects | |
| Concentration | 12,6 | mg/m ³ |

| | | |
|-----------------|--------------------------------|--|
| Type of value | Derived No Effect Level (DNEL) | |
| Reference group | Worker | |

Safety data sheet in accordance with regulation (EC) No 1907/2006



Trade name: CS Select Semi-Gloss

Version: 1 /

Date revised: 21.01.2020

Substance number: 3602XX212

Replaces Version: - / WORLD

Print date: 08.04.20

| | | |
|----------------------|--------------------------------|-------------------|
| Duration of exposure | Short term | |
| Route of exposure | inhalative | |
| Mode of action | Local effects | |
| Concentration | 12,6 | mg/m ³ |
| Type of value | Derived No Effect Level (DNEL) | |
| Reference group | Worker | |
| Duration of exposure | Long term | |
| Route of exposure | dermal | |
| Mode of action | Systemic effects | |
| Concentration | 12,1 | mg/kg |
| Type of value | Derived No Effect Level (DNEL) | |
| Reference group | Worker | |
| Duration of exposure | Long term | |
| Route of exposure | inhalative | |
| Mode of action | Systemic effects | |
| Concentration | 8,4 | mg/m ³ |
| Type of value | Derived No Effect Level (DNEL) | |
| Reference group | Worker | |
| Duration of exposure | Long term | |
| Route of exposure | inhalative | |
| Mode of action | Local effects | |
| Concentration | 8,4 | mg/m ³ |

Predicted No Effect Concentration (PNEC)

reaction mass of alpha-3-(3-(2h-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl-omega-hydroxypoly(oxyethylene) and alpha-3-(3-(2h-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl-omega-3-(3-(2h-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyloxypoly(oxyethylene)

| | | |
|---------------|------------------------------|-------|
| Type of value | PNEC | |
| Type | Freshwater | |
| Concentration | 0,0023 | mg/l |
| Type of value | PNEC | |
| Type | Saltwater | |
| Concentration | 0,00023 | mg/l |
| Type of value | PNEC | |
| Type | Water (intermittent release) | |
| Concentration | 0,028 | mg/l |
| Type of value | PNEC | |
| Type | Sewage treatment plant (STP) | |
| Concentration | 10 | mg/l |
| Type of value | PNEC | |
| Type | Freshwater sediment | |
| Concentration | 3,06 | mg/kg |
| Type of value | PNEC | |
| Type | Marine sediment | |
| Concentration | 0,306 | mg/kg |
| Type of value | PNEC | |



Trade name: CS Select Semi-Gloss

Version: 1 /

Date revised: 21.01.2020

Substance number: 3602XX212

Replaces Version: - / WORLD

Print date: 08.04.20

| | | |
|---------------|------|-------|
| Type | Soil | |
| Concentration | 2 | mg/kg |

Reaction mass of bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate

| | | |
|---------------|------------------------------|-------|
| Type of value | PNEC | |
| Type | Freshwater | |
| Concentration | 0,0022 | mg/l |
| Type of value | PNEC | |
| Type | Saltwater | |
| Concentration | 0,00022 | mg/l |
| Type of value | PNEC | |
| Type | Water (intermittent release) | |
| Concentration | 0,009 | mg/l |
| Type of value | PNEC | |
| Type | Freshwater sediment | |
| Concentration | 1,05 | mg/kg |
| Type of value | PNEC | |
| Type | Marine sediment | |
| Concentration | 0,11 | mg/kg |
| Type of value | PNEC | |
| Type | Soil | |
| Concentration | 0,21 | mg/kg |
| Type of value | PNEC | |
| Type | Sewage treatment plant (STP) | |
| Concentration | 1 | mg/l |

Triethylamine

| | | |
|---------------|------------------------------|-------|
| Type of value | PNEC | |
| Type | Freshwater | |
| Concentration | 0,064 | mg/l |
| Type of value | PNEC | |
| Type | Aquatic | |
| Concentration | 0,0064 | mg/l |
| Type of value | PNEC | |
| Type | Sewage treatment plant (STP) | |
| Concentration | 100 | mg/l |
| Type of value | PNEC | |
| Type | Freshwater sediment | |
| Concentration | 0,1992 | mg/kg |
| Type of value | PNEC | |
| Type | Soil | |
| Concentration | 2,361 | mg/kg |

8.2. Exposure controls

Exposure controls



Trade name: CS Select Semi-Gloss

Version: 1 /

Date revised: 21.01.2020

Substance number: 3602XX212

Replaces Version: - / WORLD

Print date: 08.04.20

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction.

Respiratory protection

Not applicable.

Hand protection

There is no one glove material or combination of materials that will give unlimited resistance to any individual or combination of chemicals.

For prolonged or repeated handling nitrile rubber gloves with textile undergloves are required.

Material thickness > 0,5 mm

Breakthrough time < 30 min

The breakthrough time must be greater than the end use time of the product.

The instructions and information provided by the glove manufacturer on use, storage, maintenance and replacement must be followed.

Gloves should be replaced regularly and if there is any sign of damage to the glove material.

Always ensure that gloves are free from defects and that they are stored and used correctly.

The performance or effectiveness of the glove may be reduced by physical/ chemical damage and poor maintenance.

Barrier creams may help to protect the exposed areas of the skin, they should however not be applied once exposure has occurred.

Eye protection

Use safety eyewear designed to protect against splash of liquids.

Body protection

Not applicable.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|---|-------------------|
| Form | Liquid |
| Colour | milky white |
| Odour | mild |
| Odour threshold | |
| Remarks | No data available |
| pH value | |
| Remarks | not determined |
| Melting point | |
| Remarks | not determined |
| Freezing point | |
| Remarks | not determined |
| Initial boiling point and boiling range | |
| Value | appr. 100 °C |
| Pressure | 1.013 hPa |
| Source | Literature value |
| Flash point | |
| Remarks | Not applicable |
| Evaporation rate (ether = 1) : | |
| Remarks | not determined |
| Flammability (solid, gas) | |
| Not applicable | |
| Upper/lower flammability or explosive limits | |
| Lower explosion limit | appr. 1,2 %(V) |



Trade name: CS Select Semi-Gloss

Version: 1 /

Date revised: 21.01.2020

Substance number: 3602XX212

Replaces Version: - / WORLD

Print date: 08.04.20

| | | |
|-----------------------|------------------|------|
| Upper explosion limit | appr. 11,6 | %(V) |
| Source | Literature value | |

Vapour pressure

| | |
|---------|----------------|
| Remarks | not determined |
|---------|----------------|

Vapour density

| | |
|---------|----------------|
| Remarks | not determined |
|---------|----------------|

Density

| | |
|---------|----------------|
| Remarks | not determined |
|---------|----------------|

Solubility in water

| | |
|---------|----------|
| Remarks | miscible |
|---------|----------|

Partition coefficient: n-octanol/water

| | |
|---------|----------------|
| Remarks | Not applicable |
|---------|----------------|

Ignition temperature

| | | |
|--------|------------------|----|
| Value | appr. 220 | °C |
| Source | Literature value | |

Viscosity

| | |
|---------|----------------|
| Remarks | |
| Remarks | not determined |

Explosive properties

| | |
|------------|----|
| evaluation | no |
|------------|----|

Oxidising properties

| | |
|------------|------------|
| evaluation | None known |
|------------|------------|

9.2. Other information**Other information**

The physical specifications are approximate values and refer to the used safety relevant component(s).

SECTION 10: Stability and reactivity**10.1. Reactivity**

No hazardous reactions when stored and handled according to prescribed instructions.

10.2. Chemical stability

Stable under recommended storage and handling conditions (see section 7).

10.3. Possibility of hazardous reactions

Keep away from oxidising agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

10.4. Conditions to avoid

When exposed to high temperatures may produce hazardous decomposition products.

10.5. Incompatible materials

No hazardous reactions when stored and handled according to prescribed instructions.

10.6. Hazardous decomposition products

See chapter 5.2 (Firefighting measures - Special hazards arising from the substance or mixture).

SECTION 11: Toxicological information**11.1. Information on toxicological effects****Acute oral toxicity**

| | |
|---------|---|
| Remarks | Based on available data, the classification criteria are not met. |
|---------|---|



Trade name: CS Select Semi-Gloss

Version: 1 /

Date revised: 21.01.2020

Substance number: 3602XX212

Replaces Version: - / WORLD

Print date: 08.04.20

Acute oral toxicity (Components)**reaction mass of**

alpha-3-(3-(2h-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl-omega-hydroxypoly(oxyethylene) and alpha-3-(3-(2h-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl-omega-3-(3-(2h-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyloxypoly(oxyethylene)

| | | | |
|---------|-----|----------|-------|
| Species | rat | | |
| LD50 | > | 5000 | mg/kg |
| Method | | OECD 401 | |

Reaction mass of bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate

| | | | |
|---------|-----|------|-------|
| Species | rat | | |
| LD50 | | 3230 | mg/kg |

1,2-Benzisothiazol-3(2h)-one

| | | | |
|---------|-----|------|-------|
| Species | rat | | |
| LD50 | | 1193 | mg/kg |

Triethylamine

| | | | |
|---------|-----|----------|-------|
| Species | rat | | |
| LD50 | | 730 | mg/kg |
| Method | | OECD 401 | |

Acute dermal toxicity

| | | | |
|--------|---|--|-------|
| ATE | > | 2.000 | mg/kg |
| Method | | calculated value (Regulation (EC) No. 1272/2008) | |

Acute dermal toxicity (Components)**reaction mass of**

alpha-3-(3-(2h-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl-omega-hydroxypoly(oxyethylene) and alpha-3-(3-(2h-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl-omega-3-(3-(2h-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyloxypoly(oxyethylene)

| | | | |
|---------|-----|----------|-------|
| Species | rat | | |
| LD50 | > | 2000 | mg/kg |
| Method | | OECD 402 | |

1,2-Benzisothiazol-3(2h)-one

| | | | |
|---------|-----|------|-------|
| Species | rat | | |
| LD50 | | 4115 | mg/kg |

Triethylamine

| | | | |
|---------|--------|----------|-------|
| Species | rabbit | | |
| LD50 | | 580 | mg/kg |
| Method | | OECD 402 | |

Acute inhalational toxicity

| | | | |
|---------------------|---|---|------|
| ATE | > | 20 | mg/l |
| Administration/Form | | Vapors | |
| Method | | calculated value (Regulation (EC) No. 1272/2008) | |
| ATE | > | 5 | mg/l |
| Administration/Form | | Dust/Mist | |
| Method | | calculated value (Regulation (EC) No. 1272/2008) | |
| Remarks | | Based on available data, the classification criteria are not met. | |

Acute inhalative toxicity (Components)**reaction mass of**

alpha-3-(3-(2h-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl-omega-hydroxypoly(oxyethylene) and alpha-3-(3-(2h-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl-omega-3-(3-(2h-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyloxypoly(oxyethylene)



Trade name: CS Select Semi-Gloss

Version: 1 /

Date revised: 21.01.2020

Substance number: 3602XX212

Replaces Version: - / WORLD

Print date: 08.04.20

| | | | |
|----------------------|-----------|-----|------|
| Species | rat | | |
| LC50 | > | 5,8 | mg/l |
| Duration of exposure | | 14 | d |
| Administration/Form | Dust/Mist | | |
| Method | OECD 403 | | |

Triethylamine

| | | | |
|----------------------|--------|-----|------|
| Species | rat | | |
| LC50 | | 7,1 | mg/l |
| Duration of exposure | | 4 | h |
| Administration/Form | Vapors | | |

Skin corrosion/irritation

Remarks Based on available data, the classification criteria are not met.

Serious eye damage/irritation

Remarks Based on available data, the classification criteria are not met.

Sensitization

evaluation May cause sensitization by skin contact.

Remarks The classification criteria are met.

Mutagenicity

Remarks Based on available data, the classification criteria are not met.

Reproductive toxicity

Remarks Based on available data, the classification criteria are not met.

Carcinogenicity

Remarks Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity (STOT)**Single exposure**

Remarks Based on available data, the classification criteria are not met.

Repeated exposure

Remarks Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Experience in practice

Exposure to component solvents vapours concentration in excess of the stated occupational exposure limit may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on kidney, liver and central nervous system. Symptoms and signs include headache, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness. Solvents may cause some of the above effects by absorption through the skin. Repeated or prolonged contact with the mixture may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and absorption through the skin. May cause an allergic skin reaction. The liquid splashed in the eyes may cause irritation and reversible damage. Ingestion may cause nausea, diarrhoea and vomiting. This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact.

Other information

There are no data available on the mixture itself.

The mixture has been assessed following the additivity method of the CLP Regulation (EC) No 1272/2008 and classified for toxicological hazards accordingly.

SECTION 12: Ecological information**12.1. Toxicity****General information**



Trade name: CS Select Semi-Gloss

Version: 1 /

Date revised: 21.01.2020

Substance number: 3602XX212

Replaces Version: - / WORLD

Print date: 08.04.20

There are no data available on the mixture itself. Do not allow to enter drains or water courses. The mixture has been assessed following the summation method of the CLP Regulation (EC) No 1272/2008 and is classified for eco-toxicological properties accordingly. See Sections 2 and 3 for details.

Fish toxicity (Components)

reaction mass of

alpha-3-(3-(2h-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl-omega-hydroxypoly(oxyethylene) and alpha-3-(3-(2h-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl-omega-3-(3-(2h-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyloxypoly(oxyethylene)

| | | |
|----------------------|-------------------------------------|------|
| Species | rainbow trout (Oncorhynchus mykiss) | |
| LC50 | 2,8 | mg/l |
| Duration of exposure | 96 | h |
| Method | OECD 203 | |

Reaction mass of bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate

| | | |
|----------------------|--------------------------------|------|
| Species | Bluegill (Lepomis macrochirus) | |
| LC50 | 0,97 | mg/l |
| Duration of exposure | 96 | h |
| Method | OECD 203 | |

Reaction mass of bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate

| | | |
|----------------------|-------------------------------------|------|
| Species | rainbow trout (Oncorhynchus mykiss) | |
| LC50 | 7,9 | mg/l |
| Duration of exposure | 96 | h |
| Method | OECD 203 | |

Reaction mass of bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate

| | | |
|----------------------|--------------------------------|------|
| Species | zebra fish (Brachydanio rerio) | |
| LC50 | 0,9 | mg/l |
| Duration of exposure | 96 | h |
| Method | OECD 203 | |

A mixture of: 5-Chloro-2-methyl-2h-isothiazol-3-one [EC-no. 247-500-7] and 2-Methyl-2H-isothiazol-3-one [EC-no. 220-239-6] (3:1) / C(M)IT/MIT (3:1)

| | | |
|----------------------|-------------------------------------|------|
| Species | rainbow trout (Oncorhynchus mykiss) | |
| LC50 | 0,188 | mg/l |
| Duration of exposure | 96 | h |

1,2-Benzisothiazol-3(2h)-one

| | | |
|----------------------|-------------------------------------|------|
| Species | rainbow trout (Oncorhynchus mykiss) | |
| LC50 | 2,18 | mg/l |
| Duration of exposure | 96 | h |

Daphnia toxicity (Components)

reaction mass of

alpha-3-(3-(2h-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl-omega-hydroxypoly(oxyethylene) and alpha-3-(3-(2h-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl-omega-3-(3-(2h-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyloxypoly(oxyethylene)

| | | |
|----------------------|---------------|------|
| Species | Daphnia magna | |
| EC50 | 4,0 | mg/l |
| Duration of exposure | 48 | h |
| Method | OECD 202 | |

Reaction mass of bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate

| | | |
|----------------------|---------------|------|
| Species | Daphnia magna | |
| EC50 | 20 | mg/l |
| Duration of exposure | 24 | h |



Trade name: CS Select Semi-Gloss

Version: 1 /

Date revised: 21.01.2020

Substance number: 3602XX212

Replaces Version: - / WORLD

Print date: 08.04.20

Method OECD 202

A mixture of: 5-Chloro-2-methyl-2h-isothiazol-3-one [EC-no. 247-500-7] and 2-Methyl-2H-isothiazol-3-one [EC-no. 220-239-6] (3:1) / C(M)IT/MIT (3:1)

| | | | |
|----------------------|---------------|---|------|
| Species | Daphnia magna | | |
| EC50 | 0,126 | | mg/l |
| Duration of exposure | 48 | h | |

1,2-Benzisothiazol-3(2h)-one

| | | | |
|----------------------|---------------|---|------|
| Species | Daphnia magna | | |
| EC50 | 2,94 | | mg/l |
| Duration of exposure | 48 | h | |

Algae toxicity (Components)**reaction mass of**

alpha-3-(3-(2h-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl-omega-hydroxypoly(oxyethylene) and alpha-3-(3-(2h-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionyl-omega-3-(3-(2h-benzotriazol-2-yl)-5-tert-butyl-4-hydroxyphenyl)propionylpoly(oxyethylene)

| | | | |
|----------------------|-------------|---|------|
| Species | Desmodesmus | | |
| EC50 | > 9 | | mg/l |
| Duration of exposure | 72 | h | |
| Method | OECD 201 | | |

A mixture of: 5-Chloro-2-methyl-2h-isothiazol-3-one [EC-no. 247-500-7] and 2-Methyl-2H-isothiazol-3-one [EC-no. 220-239-6] (3:1) / C(M)IT/MIT (3:1)

| | | | |
|----------------------|---------------------------|---|------|
| Species | Selenastrum capricornutum | | |
| EC50 | 0,027 | | mg/l |
| Duration of exposure | 72 | h | |

1,2-Benzisothiazol-3(2h)-one

| | | | |
|----------------------|---------------------------------|---|------|
| Species | Pseudokirchneriella subcapitata | | |
| ErC50 | 0,11 | | mg/l |
| Duration of exposure | 72 | h | |

12.2. Persistence and degradability**General information**

There are no data available on the mixture itself.

12.3. Bioaccumulative potential**General information**

There are no data available on the mixture itself.

Partition coefficient: n-octanol/water

Remarks Not applicable

12.4. Mobility in soil**General information**

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment**General information**

There are no data available on the mixture itself.

12.6. Other adverse effects**General information**

There are no data available on the mixture itself.

SECTION 13: Disposal considerations



Trade name: CS Select Semi-Gloss

Version: 1 /

Date revised: 21.01.2020

Substance number: 3602XX212

Replaces Version: - / WORLD

Print date: 08.04.20

13.1. Waste treatment methods

Disposal recommendations for the product

Do not allow to enter drains or water courses.

Wastes and emptied containers should be classified in accordance with relevant national regulation.

The European Waste Catalogue classification of this product, when disposed of as waste is

EWC waste code 08 03 12* waste ink containing dangerous substances

If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned.

For further information contact your local waste authority.

Disposal recommendations for packaging

Using information provided in this safety data sheet, advice should be obtained from the relevant waste authority on the classification of empty containers.

Empty containers must be scrapped or reconditioned.

Not emptied containers are hazardous waste (waste code number 150110).

SECTION 14: Transport information

| | Land transport ADR/RID | Marine transport IMDG/GGVSee | Air transport ICAO/IATA |
|----------------------------------|---|--|--|
| 14.1. UN number | The product does not constitute a hazardous substance in land transport.- | The product does not constitute a hazardous substance in sea transport.- | The product does not constitute a hazardous substance in air transport.- |
| 14.2. UN proper shipping name | - | - | - |
| 14.3. Transport hazard class(es) | - | - | - |
| Subsidiary risk | | - | - |
| Label | | | |
| 14.4. Packing group | - | - | - |
| Transport category | 0 | | |
| 14.5. Environmental hazards | - | no | - |

Information for all modes of transport

14.6. Special precautions for user

Transport within the user's premises:

Always transport in closed containers that are upright and secure.

Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Other information

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

no

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance



Trade name: CS Select Semi-Gloss

Version: 1 /

Date revised: 21.01.2020

Substance number: 3602XX212

Replaces Version: - / WORLD

Print date: 08.04.20

or mixture**Other information**

The product does not contain substances of very high concern (SVHC).

15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

SECTION 16: Other information**Hazard statements listed in Chapter 3**

| | |
|------|---|
| H225 | Highly flammable liquid and vapour. |
| H301 | Toxic if swallowed. |
| H302 | Harmful if swallowed. |
| H310 | Fatal in contact with skin. |
| H311 | Toxic in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H330 | Fatal if inhaled. |
| H331 | Toxic if inhaled. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H411 | Toxic to aquatic life with long lasting effects. |

CLP categories listed in Chapter 3

| | |
|-------------------|---|
| Acute Tox. 2 | Acute toxicity, Category 2 |
| Acute Tox. 3 | Acute toxicity, Category 3 |
| Acute Tox. 4 | Acute toxicity, Category 4 |
| Aquatic Acute 1 | Hazardous to the aquatic environment, acute, Category 1 |
| Aquatic Chronic 1 | Hazardous to the aquatic environment, chronic, Category 1 |
| Aquatic Chronic 2 | Hazardous to the aquatic environment, chronic, Category 2 |
| Eye Dam. 1 | Serious eye damage, Category 1 |
| Flam. Liq. 2 | Flammable liquid, Category 2 |
| Skin Corr. 1A | Skin corrosion, Category 1A |
| Skin Corr. 1C | Skin corrosion, Category 1C |
| Skin Irrit. 2 | Skin irritation, Category 2 |
| Skin Sens. 1 | Skin sensitization, Category 1 |
| Skin Sens. 1A | Skin sensitization, Category 1A |

Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: ***
This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.
The information in this Safety Data Sheet is based on the present state of knowledge and current legislation.

It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications.
The product should not be used for purposes other than those shown in Section 1 without first referring to the supplier and obtaining written handling instructions.
As the specific conditions of use of the product are outside the supplier's control, the user is responsible for ensuring that the requirements of relevant legislation are complied with.
The information contained in this safety data sheet does not constitute the user's own assessment of workplace risks, as required by other health and safety legislation.