

UJV100-160



Harnessing the power of UV-LED technology

64"

UV-LED entry-level printer

UJV100-160 is a UV-LED printer that delivers high quality prints and high speeds, combining stability and productivity in a competitively priced unit. UV-LED inks are instantly dry, making it possible to laminate immediately after printing for the highest efficiency in workflow. Additionally, Mimaki's UV-LED inks adhere to a variety of media, including paper, PET film, fabric, vinyl and more. This versatility contributes to reduced media costs, while simultaneously increasing product offering.

- Highest media versatility with unparalleled scratch resistance
- High profitability, combining high quality print with ultra-low running costs
- Eco-friendly with low volatile organic compounds (VOC)
- Endless design possibilities with white ink
- Nozzle Check Unit (NCU) and Nozzle Recovery System (NRS) detect clogged nozzles and automatically replace them with operating nozzles, to ensure an uninterrupted operation
- Dot Adjustment System (DAS) automates manual dot position correction and feeding correction

For best results, always use Mimaki original inks

Mimaki® UJV100-160

Printheads	Two on-demand piezo heads, staggered layout
Print resolution	360 dpi, 720 dpi, 900 dpi, 1200 dpi
Maximum print speed	23 m ² /h (Draft) 18.6 m ² /h (High Speed)
Maximum print width	1610 mm
Maximum media width	1620 mm
Ink Type/Color	Mimaki LUS-210: C, M, Y, K, W, CI (Clear ink: availability TBC)
Ink Package size	1L bottle
Media thickness	Up to 1 mm
Rolled media weight	Up to 45 kg
Interface	USB2.0 / Ethernet
Power supply	Single-phase AC100-120 / 200-240V±10%, 50/60Hz±1Hz
Operational environment	Temperature: 20°C - 30°C Humidity: 35 - 65% Rh (non condensing)
Dimensions (W x D x H)	2775 x 700 x 1392 mm
Weight	167 kg
Options	Ionizer Level foot Lift-up block

Harnessing the power of UV-LED technology

64"

Please visit us at: www.mimakiusa.com

Mimaki USA, Inc.
150-A Satellite Blvd NE, Suwanee, GA 30024

Print speeds are based on factory tests. Total throughput depends upon front-end driver/RIP, file size, printing resolution, ink coverage, network speed, etc. For best performance, always use Mimaki original inks. Specifications subject to change without notice.

Mimaki is a trademark of Mimaki Engineering Co. Ltd. Copyright 2020, Mimaki USA, Inc.

Rev. 03/06/20